## POSTOPERATIVE INFORMATION

## FRANK A. PETRIGLIANO, MD

ORTHOPAEDIC SURGERY AND SPORTS MEDICINE **UCLA DEPARTMENT OF ORTHOPAEDIC SURGERY** 

310.319.1234 APPT 310.825.2126 OFFICE 310.825.1311 FAX CA License: A90515



PATIENT STICKER

### POST-OPERATIVE INSTRUCTIONS - KNFF ARTHROSCOPY

		$C\Delta$	

WOUND CA	ARE				
		You may remove the Operative Dressing on Post-Op Day #2. THERE ARE WHITE TAPES DIRECTLY ON THE			
		SKIN. THESE ARE STERI-STRIPS—THESE SHOULD REMAIN ON.			
		Apply Band-Aids to the wounds. Please do not use Bacitracin or other ointments			
		under the bandage. An ACE wrap may be used to help control swelling. Do not wrap the ACE too tight.			
		Use Ice or the Cryocuff as often as possible for the first 3-4 days, then as needed for pain relief. Do not			
		wrap the Ace too thickly or the cold may not penetrate.			
		You may shower on Post-Op Day #2. Cover the incisions with plastic while you shower. Gently pat the			
		area dry if it gets wet. Do not soak the knee in water. Do not go swimming in the pool or ocean until you			
		are cleared by Dr. Petrigliano to do so.			
		Crutches are provided for comfort. It is safe to put weight on the leg. When you feel comfortable			
		walking without the crutches you may do so (on average 3-5 days).			
EXERCISES					
EXERCISES		Keep your leg elevated with a pillow under your calf, NOT under the knee			
		, , ,			
		Please perform the exercises on the attached Home Exercise Program 2-3 times daily:			
		Towel Roll Under Heel			
		<ul> <li>Isometric Quadriceps Strengthening</li> </ul>			

# **POST-OP**

☐ Enclosed are two prescriptions for you to use post-operatively:

Straight Leg Raise

- NAPROSYN, an anti-inflammatory medication, is to be used twice a day with breakfast and dinner, for the first ten days after surgery.
  - \*\* IF YOU HAVE AN ULCER HISTORY OR DIFFICULTY USING ANTI-INFLAMMATORIES OR **ASPIRIN >> USE ONLY VICODIN**
- VICODIN, a strong narcotic, is to be used for pain relief as needed.

Seated Active Assisted Range of Motion Exercises

- ☐ If you have any adverse effects with the medications, please call our office.
- ☐ If you develop a Fever (101.5), Redness or Drainage from the surgical incision site, please call our office to arrange for an evaluation.

#### **FOLLOW-UP**

Please call the office to schedule a follow-up appointment for your wound check, 7-10 days postoperatively. Dr. Petrigliano will prescribe physical therapy at this time.

IF YOU HAVE ANY QUESTIONS, PLEASE FEEL FREE TO CALL OUR OFFICE.