POSTOPERATIVE INFORMATION

FRANK PETRIGLIANO, MD

ORTHOPAEDIC SURGERY AND SPORTS MEDICINE UCLA DEPARTMENT OF ORTHOPAEDIC SURGERY

310.319.1234 APPT 310.825.2126 OFFICE 310.825.1311 FAX CA License: A90515







PATIENT STICKER

POST-OPERATIVE INSTRUCTIONS – ARTHROSCOPIC ROTATOR CUFF REPAIR

WOUND CARE

Ш	You may remove the Operative Dressing on Post-Op Day #2. THERE ARE WHITE TAPES DIRECTLY ON THE
	SKIN. THESE ARE STERI-STRIPS—THESE SHOULD REMAIN ON.
	Apply Band-Aids to the wounds. Change the Band-Aids daily until wounds are completely dry. Please do
	not use Bacitracin or other ointments under the bandage.

- Use Ice or cold therapy device 30-40 minutes 3-4 times per day until swelling is down, then as needed for
- You may shower on Post-Op Day #2. Please cover the wound with plastic wrap and secure it to your skin with tape. You may remove the sling for showering, but keep the arm across the chest. Gently pat the area dry. Do not soak the shoulder in water. Do not go swimming in the pool or ocean until clear by Dr. Petrigliano.

EXERCISES

- ☐ Wear the sling at all times except when doing your exercises. You may remove the sling for showering, but keep the arm across the chest. The sling will remain on for 4-6 weeks. Sleep with the sling loosely on in a position comfortable to you.
- □ Please perform the exercises on the attached Home Exercise Program 2 times daily IF INSTRUCTED BY DR. Petrigliano (for larger tears, range of motion may be delayed 2-4 weeks):
 - Shoulder range of motion (forward elevation 90, External Rotation 0)
 - Elbow / Hand / Wrist Range of Motion Exercises
 - Grip Strengthening
 - Scapular Tightening

POSTOP

- ☐ You will be given a prescriptions for pain relief for you to use post-operatively:
 - PERCOCET, a strong narcotic. Do not take advil, alleve or other NSAIDS until 6 weeks postoperatively as they can inhibit healing.
- ☐ If you have any adverse effects with the medications, please call our office.
- ☐ If you develop a Fever (101.5), Redness or Drainage from the surgical incision site, please call our office to arrange for an evaluation.

FOLLOW-UP

□ Please call the office to schedule a follow-up appointment for your wound check, 7-10 days post-operatively. Dr.Petrigliano will prescribe physical therapy at this time.

IF YOU HAVE ANY QUESTIONS, PLEASE FEEL FREE TO CALL OUR OFFICE.