## PHYSICAL THERAPY PRESCRIPTION

# FRANK A. PETRIGLIANO, MD

ORTHOPAEDIC SURGERY AND SPORTS MEDICINE UCLA DEPARTMENT OF ORTHOPAEDIC SURGERY 310.319.1234 APPT 310.825.2126 OFFICE

310.825.2126 OFFICE 310.825.1311 FAX CA License: A90515





PATIENT STICKER

DIAGNOSIS ( LEFT	/ RIGHT	) ARTHROSCOPIC ROTATOR	CUFF REPAIR
DATE OF SURGERY	<b>/</b>		

#### ARTHROSCOPIC SHOULDER SURGERY PHYSICAL THERAPY PRESCRIPTION

## NO ACTIVE shoulder ROM against gravity until 6 weeks after surgery

#### 1-2 WEEKS POST-OP:

- \* Passive supine elevation using the opposite hand to 90. Passive ER to neutral.
- \* Modalities, cryocuff, prn
- \* Hand, wrist, elbow, PRE's

## 2-3 WEEKS POST-OP:

- \* Start pendulums, passive supine elevation, passive ER
- \* Pulley exercises for flexion, as tolerated. Use cane for ER; towel to increase IR.
- \* Begin scapular strengthening program, in protective range
- \* Deltoid isometrics

#### 3-5 WEEKS POST-OP:

- \* Joint mobilization & PROM as necessary (passive supine elevation, passive ER)
- \* Deltoid isometrics
- \* Modalities as needed
- \* Begin submaximal IR / ER isometric exercises in neutral, arm at side (week 5)
- \* Continue scapular strengthening

## 5-7 WEEKS POST-OP:

- \* ROM activities, emphasize flexion. Gentle passive stretch to 120° forward flexion
- \* Deltoid isotonics in plane of scapula, only after positive rotator cuff strength is determined (especially forward flexion)
- \* Continue with scapular PRE's. Begin biceps PRE's.
- \* Continue with modalities, prn.

## 7-11 WEEKS POST-OP:

- \* Progress Rotator cuff isotonics
- \* Restore full ROM by 12 weeks
- \* Continue with aggressive scapular exercises
- \* Upper extremity PRE's for large muscle groups, i.e. pects, lats, etc. at 12 weeks.
- \* Begin isokinetic program, IR / ER emphasize eccentrics
- \* Continue with flexibility activities

# PHYSICAL THERAPY PRESCRIPTION

## **11-16 WEEKS POST-OP:**

- \* Aggressive upper extremity PRE's
- \* IR / ER isokinetics, velocity spectrum
- \* Begin plyometric program for overhead athletes
- \* Continue with throwing and racquet program if appropriate
- \* Posterior capsule stretching after warm-ups
- \* Progress PRE's from side for overhead athletes

Treatment:	times per week	Duration: _	weeks		
Physician's Signature:					
Frank Petrigliano MD Attending Orthonaedic Surgeon LICLA					